

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

OPEN LETTERS.

Identification of fossil leaves.

After reading the article "On the validity of some fossil species of Liriodendron," which I was kindly permitted to see in manuscript, I at first concluded that the personal nature of the contribution would render it impossible of comment by me. I have never yet entered into a personal controversy and do not care to begin now.

The author, has, however, given evidence of such remarkable failure to understand or appreciate the principles upon which paleobotany is founded that I shall say a few words on behalf of paleobot-

anists in general.

In the first place the mission of the paleobotanist is to describe and depict the fragments of vegetation with which he has to deal, in order that these fragments—a leaf, a fruit, a seed, a portion of a stem, etc.—may be recognized in the event of a similar fragment being found elsewhere at any future time. The naming of the fragment is an incident only, but it is a purely gratuitous assumption that earnest and conscientious thought and investigation are not given to this part of the work. The fragments are constantly coming to light, clamoring for recognition, and they cannot be ignored. It would be worse than folly to wait until perfect material should be found, before describing, merely because the exact affinities of a fossil fragment with our living flora could not be satisfactorily determined.

I am criticised for accepting the opinion of competent authorities in regard to the affinities of certain emarginate leaves from the cretaceous formation, with our living genus *Liriodendron*. While I am quite satisfied that the facts adduced warranted the inferences regarding this and other affinities, I am free to add that new material, recently collected on Long Island and Martha's Vineyard, will demonstrate the relationship even more clearly and, when described and published, will render any reference or reply to the foregoing paper

unnecessary.

One other matter of principle needs to be touched upon. The possible relationship of the above mentioned leaves with the Leguminosæ is well taken, but this idea did not originate with the author. Unless however such relationship can be absolutely demonstrated, and the leaves referred without question to some living or extinct genus, a mere multiplication of synonymy would be inexcusable. So I shall continue to call the leaf found on Eaton's Neck, Long Island, *Colutea primordialis* Heer, not necessarily because I believe it to be placed in its correct genus or order, according to modern systematic botany, but because it is clearly the same species as the leaf described by Heer under that name from Greenland.—Arthur Hollick, *Columbia College, New York*.